

mhouse
MADE IN ITALY

Sliding Gate Opener



EASY INSTALL



**Everything's easy,
Everything's included!**

Mhouse has developed a leading-edge range of products combining a complete set of functions and ease of installation and use.

SL1S



Maximum gate length 5m, weight 400kg.



Style and Substance

Mhouse has created a perfect Italian-style line of products characterised by careful, efficient design, so distinctive as to be always recognizable.

A good design is the basis of quality. Mhouse's awareness to achieve the finest results is revealed in every detail: cutting-edge technology, high quality materials, accurate finish.

Fast and Simple

Fast and simple connections. Mhouse uses unique colour-coded cable connectors and labelled terminals in matching colours.

Connect up to seven pairs of obstacle sensors using only two cables and without having to worry about polarity.

Programming the motor is as simple as pressing two buttons for three seconds to program all functions. If you need to adjust a parameter you won't need any tools, the main functions are set with the remote.




Three Power Options

1

External Transformer

Extends the reach of a power point



Safe

Low voltage 24V cable is safe for children and animals.

No trench

Australian laws say 230V cable be laid in a 600mm deep trench. 24V (garden light) cable can sit above or just below the surface.

Economical

No need for an electrician to install a power point at the gate.

Easy DIY

Uses any power point up to 50m from the gate. The power point can be in the house, garage or garden.



Kits

Intro XT

ASL-SL1S/02SP



Motor and
release keys



Remote



External
Transformer

Safety XT

ASL-SL1SSP



Motor and
release keys



Remotes



External
Transformer



Obstacle
Sensors




Signal Booster
Warning Light

2

3-Pin Plug

Uses a 240V power point at the gate

- 240V power must be fitted by an electrician
- For busy gates



Kits

Intro

ASL-SL1S/02



Safety

ASL-SL1S




3

Solar Power


The easiest Kit to install

- Ideal for long driveways
- No electrician
- No digging
- Easy DIY
- Not for use on busy gates



Kits

Solar Power Kit AAC-SUN



Solar Panel



Battery Box

Safety ASL-SL1S



Motor and release keys



Remotes



Obstacle Sensors



Signal Booster Warning Light

Intro

ASL-SL1S/02



Motor and release keys



Remote

Not suitable for busy gates

Optional Accessories & Safety Devices



Wireless Keypad

For entry without a remote. No wires. Easy to install. Tough cast aluminium body.



Signal Booster Warning Light

Boosts the remote's signal range and announces the gate opening.



Extra Obstacle Sensors

Stops the gate when an obstacle is detected. Eg. a child, pedestrian or car. Mounts on gate posts.



Back-up Battery

Continue to operate the gate even if the local power is down or a fuse is blown.



Garage Door Piggyback

Now you can operate your gate and garage door on one remote.




Extra Remote

Can be used on up to four different automation devices. Battery included.



1m Gate Rack


Tough, smooth & quiet. Unsure how many you need? Match the gate length + one extra length.



(Rear View)

Selector Guide

Choose the right kit for your gate



DIY SUPPORT



SHORT/CUTS

Manual & Video

There's a good reason people don't read instruction manuals. They're impossible to understand! We've created Short Cuts Manuals, **step-by-step DIY manuals in plain English.**

Short Cuts have only the info you need to install the motor and get it running. Short Cuts manual and video are on **easygate.com.au**

Tech Support
1800 241 733

Mhouse is supplied by
Downee
An Australian company since 1928